



## JET 15

(Ref. 20402004)

**Usage très intensif**

Norm: EN 60335-2-69

Garantie:  

Photo et textes non contractuels

### Product Information:

"Fitted with a high-efficiency 99.9% Class M filter  
Metal accessories and stainless steel tubes  
Anti-crushing shielded hose  
4-wheel stand for optimised motion  
Dual-turbine suction  
By-pass cooling down system motor designed for continuous heavy-duty jobs (air is sucked by a third turbine on top of the motor, only for cooling down)  
Anti-static electricity plate connected to earth  
Neoprene power table HO7 RNF length 7 m

#### "Standard metal accessories:

- Straight tubes 2 x 500 mm + 1 bent tube
  - 1 liquid nozzle - 400 mm
  - 1 dual-purpose nozzle - 270 mm
- Standard plastic accessories:
- 1 round brush
  - 1 flat nozzle
  - 1 Padding nozzle
  - 1 hose - 2200 mm

### Technical characteristics:

Height (cm) : 54.00  
Width (cm) : 35.00  
Length (cm) : 35.00  
Net weight (Kg) : 9.89  
Power (W) 1000  
Power (V) 1-phase 230V  
Tank stainless steel  
Tank capacity (l) 10  
Depression (Kpa) 21.56  
Flow (l/min) 3 500  
Sound level (dBA) 75  
Atex Zone 22 No  
Accessory diameter (mm) 32  
Unclogging No  
Class-M approved No  
Vacuum cleaner filter Class M  
Synchro socket No  
Cable length (m) 7  
Tank capacity (L) 17