



ULTRA ST 1200i

(Ref. 20116700)

Usage très intensif

Guarantee:  3 years

Photo et textes non contractuels

Product Information:

Table saw made entirely of stainless steel, high durability in daily use
Site cutting machine very resistant to corrosion and weather thanks to the
ir stainless steel structure. Extremely durable, robust and accurate.
Designed for cutting all decorative materials, tiles, porcelain stoneware, c
oncrete slab, slabs, stones, marble, granite.
High quality motor with large disc clamping flanges Ø 110 mm ensuring m
aximum rigidity during cutting
Machine fitted on a bracket to perform precise cuts of large tiles up to 120
0 mm
Bearing-cutting head fitted on guideways with tilting device to perform be
velled cuts (45°)
Adjustable cutting depth
Supporting scale with orientable cutting stop up to 45°
Built for 4 extensions in option for a better stability of large tiles
Cooling circuit of the blade with wet pump, with flow control valve
Independent water pump tray for easy emptying and cleaning
The water tank, made of stainless steel, is fully welded to structural reinfo
rcements that ensure high resistance to torsion and bending. The emptyin
g of the water tank is done by means of the removal of the plug
Ease of cleaning the water tank thanks to the butterfly opening trays and t
ool-free disassemblies
Folding feet to make transport easier
Frame fitted with transport wheels to move the device more easily
Transport wheels with steel rim on ball bearing
Fitted with a lack of voltage coil
Local fabrication in 41

Technical characteristics:

Height (cm) : 130.00
Width (cm) : 70.00
Length (cm) : 180.00
Net weight (Kg) : 100.00
Power (W)
Power (V) 1-phase 230V
Rotation speed (rpm)
Disk diameter (mm)
Disk bore (mm)
Length cutting capacity (mm) 90°
Height cutting capacity (mm) 90°
Left height cutting capacity (mm) 45°
Left height cutting capacity (mm) 45°
Water tank (l)
Tile thickness (mm)
Disc stroke (mm)
Cutting capacity (mm) 90° Height 2 cuts

Delivery with diamond blade ULTRA CERAM-E 250